

Safety Data Sheet

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Secti	on 1: Identification		
1.1.	Product identifier		
Produc	ct form	:	Substance
Product Identifier(s)			Ricon® 100 Ricon® 100B Ricon® 100S
CAS-N	lo.	:	9003-55-8
1.2.	Recommended use of the c	hemical an	d restrictions on use
Use of	the substance/mixture	:	Elastomers
1.3.	Details of the supplier of the	e safety da	ta sheet
Cray V	nergies Petrochemicals & Refinin ′alley Division x 674411	ig USA, Inc.	
Housto	on,TX 77267-4411		
For no	n-emergency product information	:	
	: 713-483-5000 or 1-877-871-272		
Email:	product.stewardship@totalenerg	ies.com	

1.4. Emergency telephone number

Emergency number

: CHEMTREC: 1-800-424-9300 (Toll Free USA & Canada) / 703-527-3887 (Multiple languages) TotalEnergies Petrochemicals & Refining USA, Inc.: 1-800-322-3462 (Language: English only)

Sect	ion 2:	Hazards	s identif	ication

2.1. Classification of the substance or mixture

Classification (GHS-US)

Not classified

2.2. Label elements

GHS US labeling

Hazard statements (GHS-US)	: This material has no classified hazar	ds under 29 CFR 1910.1200.
Precautionary statements (GHS-US)	: Precautionary statements not required.	Consult the SDS for additional safety information.

2.3. Hazards not otherwise classified

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

2.5. Additional information

Based on conditions common to industrial workplace use of this product

: Contact with skin or eyes with hot material may cause serious thermal burns.

Vapors formed when material is processed at high temperatures may be irritating to the eyes and upper respiratory tract.

Section 3: Composition/Information on ingredients					
3.1.	Substance				
Substa	nce type	: Polymer			
Name		: Ricon® 100			
SDS ID:	RICON_100	Language: EN (English US)	US SDS Version: 1.8	Issue date: 05/13/2022	Page 1/6

Safety Data Sheet

: 9003-55-8
: Styrene-butadiene copolymer
: Ricon® 100 B / Ricon® 100 S

3.2. Mixture

Not applicable

Section 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. If irritation persists, consult a doctor. Heated Material: For serious burns from heated material, get medical attention. In case of skin contact, immediately immerse in or flush with clean, cold water. Do not remove clothing adhering to the skin.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Obtain medical attention if pain, blinking, tears or redness persist. Heated Material: For serious burns from heated material, get medical attention. In case of contact with the eyes : Rinse immediately with plenty of water for 15 minutes.
First-aid measures after ingestion	: Rinse mouth out with water. If necessary seek medical advice.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after skin contact	: Contact with hot material - prevent serious burns.
Symptoms/effects after eye contact	: Contact with hot material - prevent serious burns.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	
Section 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray or fog. Carbon dioxide. Foam. Dry chemical. Dry powder. Sand.
Unsuitable extinguishing media	: Use of heavy stream of water may spread fire.
5.2. Special hazards arising from the ch	hemical
Fire hazard	: Slightly combustible. Heat from fire can generate flammable vapor.
Explosion hazard	: Not expected to be a explosion hazard under normal conditions of use.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). Toxic fumes. 1,3-butadiene. Styrene. Hydrocarbons.
5.3. Advice for firefighters	
Firefighting instructions	: Fight fire from safe distance and protected location. Avoid direct personal contact with liquid even after fire is out to prevent potentially serious burns. Use water spray or fog for cooling exposed containers. Apply aqueous extinguishing media carefully to prevent frothing/steam explosion. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.
Other information	: Fires are typically very smoky.
Section 6: Accidental release meas	ures
6.1. Personal precautions, protective ed	quipment and emergency procedures
Emergency procedures for non-emergency personnel	: Ensure adequate ventilation. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures for emergency responders	: No additional requirement.
6.2. Methods and material for containm	ient and cleaning up
For containment	: Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite. Keep recovered product for subsequent disposal.
Methods for cleaning up	: Wash away residue with large amounts of water. Gather the product and place it in a spare container that has been suitably labeled.
6.3. Reference to other sections	
See section 8 Exposure controls/personal prote	ection

See section 8. Exposure controls/personal protection.

Safety Data Sheet

Section 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with elevated temperature or molten product to prevent burns. If heating is necessary for drummed product, loosen or remove bung or lid before warming/heating product to avoid overpressurization in the drum. Eliminate all ignition sources if safe to do so. Use only non-sparking tools.		
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including	Conditions for safe storage, including any incompatibilities		
Technical measures	: Electrical equipment should conform to the National Electric Code. Containers which are opened should be properly resealed and kept upright to prevent leakage.		
Storage conditions	: Keep container tightly closed. Store in a dry, cool area. Keep away from sources of ignition.		
Incompatible materials	: Strong oxidizing agents. Strong reducing agents. Strong acids.		
Storage temperature	: 10 – 32 °C		

Section 8: Exposure controls/personal protection

8.1. Occupational Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV, or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	 Provide readily accessible eye wash stations and safety showers. Ensure good ventilation of the work station.
Hand protection	: Impermeable protective gloves. Do not use natural rubber gloves. Product used with solvents : wear thick (> 0.5 mm) nitrile gloves. Replace gloves immediately when torn or any change in appearance (dimension, color, flexibility, etc.) is noticed.
Eye protection	: Safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.

Section 9: Physical and chemical properties

9.1. Information on basic physical and	hemical properties			
Physical state	: Liquid			
Appearance	: Viscous.			
Color	: colorless to yellow.			
Odor	: Hydrocarbon. Mild.			
Odor threshold	: No data available			
рН	: Not applicable			
Relative evaporation rate (butyl acetate=1)	: No data available			
Melting point	: No data available			
Freezing point	: No data available			
Initial boiling point and boiling range	: No data available			
Flash point	: > 122 °C Cleveland o	pen cup (COC)		
Auto-ignition temperature	: No data available			
Decomposition temperature	: No data available			
Flammability (solid, gas)	: No data available			
Vapor pressure	: No data available			
Relative vapor density at 20 °C	: No data available			
Relative density	: 0.92			
Solubility	: Water: practically inso	luble		
Partition coefficient n-octanol/water (Log Kow)	: No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: ~ 40000 mPa.s (45 °C	C)		
Explosion limits	: No data available			
SDS ID: RICON_100 Language: I	N (English US)	US SDS Version: 1.8	Issue date: 05/13/2022	Page 3/6

Safety Data Sheet

Ouldry Data Olic		
9.2. Other inform	ation	
Explosive properties	: Not expected to be a explosion hazard under normal conditions of use.	
Section 10: Stabi	ty and reactivity	
10.1. Reactivity		
No dangerous reaction	known under normal conditions of use.	
10.2. Chemical st	•	
Stable under use and s	brage conditions as recommended in section 7.	
-	hazardous reactions	
6	known under normal conditions of use.	
10.4.ConditionsDirect sunlight. Heat. No.	avoid flames, no sparks. Eliminate all sources of ignition.	
10.5. Incompatibl	materials	
Strong oxidizing agents	Strong reducing agents. Strong acids.	
10.6. Hazardous	composition products	
Under normal condition	of storage and use, hazardous decomposition products should not be produced.	
Section 11: Toxic	ological information	
11.1. Information	n toxicological effects	
Likely routes of exposu	e : Ingestion. Skin and eye contact.	
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation) : Not classified	
Skin corrosion/irritation	: Not classified	
Serious eye damage/ir	ation : Not classified	
Respiratory or skin ser	itization : Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated expose	e : Not classified	
Aspiration hazard	: Not classified	
Potential Adverse hum symptoms	health effects and : The working steams can irritate the eyes as well as the respiratory tract.	

Section 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

SDS ID: RICON_100

Language: EN (English US)

US SDS Version: 1.8

Safety Data Sheet

12.5. Other adverse effects

No additional information available

Section 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations

Transfer to a safe disposal area in accordance with federal, state, and local regulations.
Dispose of contents and container in accordance with all local, regional, national and international regulations.

Section 14: Transport information

US Transport (DOT) for Bulk Shipments (Non-Bulk Shipments May Differ) Not regulated by US DOT

Transport by sea (IMDG)

Not regulated by IMDG

Air transport (IATA)

Not regulated by IATA

Section 15: Regulatory information

15.1. US Federal regulations

EPA TSCA Status

All components of this product are listed or exempt from listing on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) Active inventory. This product has no special requirements under TSCA, such as significant new use rules (SNUR), consent orders, test rules, or sections 4, 5, 6, 8(a), 8(d), 12(b) requirements.

SARA Section 313 Supplier Notification

This product contains no toxic chemicals in excess of the applicable de minimis concentration that are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SARA Section 311/312 Hazard Classes	Not applicable
Export Control Classification Number (ECCN):	EAR99 (No License Required)
15.2. International regulations	
CANADA	
Ricon® 100 (9003-55-8)	

WHMIS Classification

This product is not regulated according to WHMIS 2015 classification criteria

National inventories

Ricon® 100 (9003-55-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on or exempt from listing on the Canadian DSL (Domestic Substances List) Listed on or exempt from listing on the AICS (Australian Inventory of Chemical Substances) Listed on or exempt from listing on the Philippines Inventory of Chemicals and Chemical Substances (PICCS) Listed on or exempt from listing on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on or exempt from listing on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on or exempt from listing on the Korean ECL (Existing Chemicals List) Listed on or exempt from listing on the China Inventory of Existing Chemical Substances (IECSC) Listed on or exempt from listing on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on or exempt from listing on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory)

15.3. US State regulations

This product may contain California Proposition 65 substances at concentration levels below those required to be classified as hazardous by OSHA's Hazard Communication Standard (29 CFR 1910.1200). Contact TotalEnergies Petrochemicals & Refining USA, Inc. if you need specific information regarding status of this product with regard to California Proposition 65.

Language: EN (English US)

US SDS Version: 1.8

Safety Data Sheet

Section 16: Other information	
Other information	: Unless agreed to in a separate written agreement with the Customer, TotalEnergies Petrochemicals & Refining USA, Inc. makes no representations and disclaims all warranties, express or implied, with respect to biocompatibility and/or the suitability of this product for medical device applications including : (i) implantable devices intended for human or animal body, (ii) devices intended to be used in contact with internal body fluids, and (iii) devices intended to be used in contact with internal body fluids, and (iii) devices intended to be used in contact totalEnergies Petrochemicals & Refining USA, Inc. and establish agreed terms and conditions for such use.
NFPA (National Fire Protection Association)	
NFPA health hazard	: 1
NFPA fire hazard	:1
NFPA reactivity	
Hazard System Rating	
Health	: 1
Flammability	: 1
Physical Hazard	: 1
Personal protection	: See section 8 of SDS

elements.	
Ricon® 100	TotalEnergies Petrochemicals & Refining USA, Inc., Cray Valley Division PO Box 674411
	Houston, TX 77267-4411 USA Tel. 713-483-5000 or 1-877-871-2729

This material has no classified hazards under 29 CFR 1910.1200. Precautionary statements not required. Consult the SDS for additional safety information.

US SDS Version: 1.8 Issue date: May 13, 2022

SDS ID: RICON_100 SDS REFERENCE NUMBER: FP01187

SDS Template - TotalEnergies SDS US TEPRI Version 20.01

The information contained in this Safety Data Sheet (SDS) is believed by TotalEnergies Petrochemicals & Refining USA, Inc. (TEPRI) to be accurate on the date issued. However, materials may present unknown hazards and should be used with caution. Final determination of suitability and use of any material is the sole responsibility of the user. Neither TEPRI nor any of its subsidiaries or affiliated companies assumes any liability whatsoever for the accuracy or completeness of the information contained herein or reliance thereto. If the material is repackaged, the user is responsible and must ensure that proper health, safety and other necessary information is included with the material and/or on the container. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING THE MATERIALS OR THE INFORMATION CONTAINED IN THIS SDS. ALTERATION OF THIS DOCUMENT IS STRICTLY PROHIBITED.